

# SAFETY DATA SHEET Max Mould & Mildew Remover

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product name Max Mould & Mildew Remover

Product number 00300/01

Container size 500ml

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

Uses advised against

Not to be used in any other way than instructed on product packaging.

## 1.3. Details of the supplier of the safety data sheet

Supplier Primo Manufacturing Ltd

Hadleigh Suffolk IP7 6BQ

+44 01473 820999 sales@primo.mfg.co.uk

#### 1.4. Emergency telephone number

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards Not Classified

Classification (67/548/EEC or Xi; R36/38

1999/45/EC)

#### 2.2. Label elements

# **Pictogram**



Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### Max Mould & Mildew Remover

Precautionary statements P103 Read label before use.

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves, eye and face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

#### **Detergent labelling**

< 5% chlorine-based bleaching agents, < 5% non-ionic surfactants

#### 2.3. Other hazards

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

propan-2-ol 1-5%

CAS number: 67-63-0 EC number: 200-661-7

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336

# sodium hypochlorite, solution ... % Cl active

1-5%

CAS number: 7681-52-9 EC number: 231-668-3

M factor (Acute) = 10

Classification

Skin Corr. 1B - H314 Aquatic Acute 1 - H400

sodium hydroxide <1%

CAS number: 1310-73-2 EC number: 215-185-5

Classification

Skin Corr. 1A - H314

Revision date: 04/01/2018 Revision: 3 Supersedes date: 04/10/2017

# Max Mould & Mildew Remover

N,N-dimethyltetradecylamine N-oxide

CAS number: 3332-27-2 EC number: 222-059-3 REACH registration number: 01-

2119949262-37-XXXX

<1%

M factor (Acute) = 1

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Remove affected person from source of contamination. Keep affected person warm and at

rest. Get medical attention immediately.

**Ingestion** Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.

Get medical attention immediately.

Skin contact Remove affected person from source of contamination. Take off immediately all contaminated

clothing and wash it before reuse. Wash skin thoroughly with soap and water. Get medical

attention immediately.

**Eye contact** Remove affected person from source of contamination. Rinse immediately with plenty of

water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least

15 minutes and get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

## 4.3. Indication of any immediate medical attention and special treatment needed

**Specific treatments** Treat symptomatically.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards Chlorine.

# 5.3. Advice for firefighters

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters clothing.

# SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8.

#### 6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body.

#### Max Mould & Mildew Remover

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Stop leak if safe to do so. Absorb in vermiculite, dry

sand or earth and place into containers. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Flush contaminated

area with plenty of water.

#### 6.4. Reference to other sections

**Reference to other sections** For waste disposal, see Section 13.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Handle all packages and containers carefully to minimise spills. Avoid contact with skin, eyes

and clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or

ingredients. Avoid inhalation of vapours.

**Eye/face protection** Wear eye protection.

**Hand protection** Wear protective gloves.

Other skin and body

protection

Provide eyewash station and safety shower. Wear appropriate clothing to prevent any

possibility of skin contact.

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet. Wash

promptly with soap and water if skin becomes contaminated. Take off immediately all

contaminated clothing and wash it before reuse.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

**Environmental exposure** 

controls

Keep container tightly sealed when not in use.

# **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

Appearance Cloudy liquid.

Colour Colourless.

Odour Chlorine.

Revision date: 04/01/2018 Revision: 3 Supersedes date: 04/10/2017

#### Max Mould & Mildew Remover

pН pH (concentrated solution): 11.8-12.3

1.034 @ 20°C Relative density

Solubility(ies) Soluble in water.

Comments Do not allow to freeze.

9.2. Other information

Other information None.

## SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Acids.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Acids.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat.

10.5. Incompatible materials

Materials to avoid Acids.

10.6. Hazardous decomposition products

Hazardous decomposition Heating may generate the following products: Carbon monoxide (CO). Carbon dioxide (CO2).

products Chlorides.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Inhalation Harmful by inhalation. May cause damage to mucous membranes in nose, throat, lungs and

bronchial system.

Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal Ingestion

tract.

Skin contact May cause serious chemical burns to the skin.

Eye contact Causes burns. May cause serious eye damage.

## SECTION 12: Ecological Information

# 12.1. Toxicity

## 12.2. Persistence and degradability

Biodegradation Expected to be readily biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product is soluble in water.

#### Max Mould & Mildew Remover

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

General information Care should be taken when handling emptied containers that have not been thoroughly

cleaned or rinsed out.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

#### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Revision date: 04/01/2018 Revision: 3 Supersedes date: 04/10/2017

#### Max Mould & Mildew Remover

National regulations Control of Substances Hazardous to Health Regulations 2002 (as amended).

Dangerous Substances and Explosive Atmospheres Regulations 2002.

EH40/2005 Workplace exposure limits.

Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

EU legislation Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list

of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and

Directive 91/689/EEC on hazardous waste with amendments.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Guidance Workplace Exposure Limits EH40.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

Revision date 04/01/2018

Revision 3

Supersedes date 04/10/2017

SDS number 4981

Hazard statements in full H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.